

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office DEC 20 1979

Returned to applicant for correction MAY 19 1980

Corrected application filed _____

Map filed _____

The applicant Zimmerman Ranching Corp.

_____, of Round Mountain,
Street and No. or P.O. Box No. City or Town

NV. 89405, hereby make application for permission to appropriate the public
State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) 1972 Nevada

1. The source of the proposed appropriation is Kirby Well Corral, underground
Name of stream, lake or other source.

2. The amount of water applied for is 0.05 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____ acre-feet

3. The water to be used for stockwatering
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) _____

(b) Stockwater (state number and kinds of animals to be watered) 200 head of cattle

(c) Other use (describe fully under "No. 12. Remarks") _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13,

T.5N., R.37E. MDB&M
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13, T.5N., R.37E. MDB&M
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" cased well, pump and stockwatering trough

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works.....excess of \$100.....
- 10. Estimated time required to construct works.....completed.....
- 11. Estimated time required to complete the application to beneficial use.....completed.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water for stockwatering needed on range land controlled by applicant. Excess will provide water for wildlife, etc.

Applicant Zimmerman Ranching Corp.

By s / J.R. Caldwell
P.O. Box 432
Winnemucca, Nv 89445

Compared vjw/lp

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I.....
Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed..... my office, this..... day of.....
Cultural map filed.....
Certificate No..... Issued.....

CANCELED JUL 24 1980 BECAUSE OF FAILURE TO REFILE
CORRECTED APPLICATION WITHIN STATUTORY TIME
William J. Newman STATE ENGINEER